

**INOXIHP**  
ABOUT USING WATER



# PM 150

Reciprocating Horizontal  
Triplex Plunger Pumps



# PM 150



## General features

- Compact dimension
- Splash lubrication and oil level switch
- Easy maintenance
- Low maintenance costs
- Internal reduction gear
- Self-adjusting seal packing
- Available with carbon steel or stainless steel hydraulic head
- 100% aluminium free

## Accessories


- Valve lifter controlled by means of pneumatic solenoid
- Unloading valve
- Over-pressure valve
- HP check valve, suction and/or delivery gauge
- Low and high pressure switches
- Lubrication system with oil filtration circuit + heat exchanger
- Manifold groups for suction/delivery
- ATEX Group I Category M2 Certification

## Applications

- Emulsion Hydraulic power to drive Longwall systems
- Dust suppression systems on Roof Supports & Coal Shearers


## Identification code

see tables on the next page >>>



## Dimensions

Dimensions are referred to hydraulic head T35  
Weight: kg 670





# Mining Skid

Inoxihp supplies complete skids for underground coal mining (Longwall) for applications such as tunnel roof support, rotating blade cooling (shearer) and dust suppression.

Highly reliable products, also available in ATEX version.



**INOXIHP S.r.l.**

IT - 20834 Nova Milanese (MB) - Via Garibaldi, 89 - Tel: +39 0362 190111  
Fax: +39 0362 1901008 - E-mail: [inoxihp@inoxihp.com](mailto:inoxihp@inoxihp.com) - [inoxihp.com](http://inoxihp.com)

**INOXIHP**  
ABOUT USING WATER